



限用物質含有情況標示

產品明細

| | |
|-----------------------------------------|----|
| UP1201A-12PP..... | 2 |
| UP1501D-12..... | 3 |
| UP1001B-14..... | 4 |
| UP0121H-12PA | 5 |
| UP5253B-01..... | 6 |
| MA-PWR-50WAC, GA-PWR-50WAC..... | 7 |
| UP0201D-Series..... | 8 |
| UP0451H-54PP, 740-64283-001..... | 9 |
| GA-PWR-12W-US..... | 10 |
| UP0181D-12PA..... | 11 |
| UP0361H-12..... | 12 |
| UP0601C-12..... | 13 |
| UP0851A-54PB..... | 14 |
| UP1501D-54..... | 15 |
| UP2402B-04..... | 16 |
| UP3001D-54..... | 17 |
| UP5202F-02,UP4602F-02..... | 18 |
| UP5702B-01, UP5702B-02, UP5702B-03..... | 19 |
| UP8803B-01..... | 20 |
| PS-90W-AC..... | 21 |
| PS-126W-AC..... | 22 |

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

| 設備名稱：交換式電源供應器，型號（型式）：UP1201A-12PP Equipment name | | Type designation (Type) | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|-------------------------|----------------------|------------------------------------------------------|----------------------------------------------|------------------------------------------------------|
| 單元 Unit | 限用物質及其化學符號 Restricted substances and its chemical symbols | | | | | |
| | 鉛 Lead (Pb) | 汞 Mercury (Hg) | 鎘 Cadmium (Cd) | 六價鉻 Hexavalent chromium (Cr ⁶⁺) | 多溴聯苯 Polybrominated biphenyls (PBB) | 多溴二苯醚 Polybrominated diphenyl ethers (PBDE) |
| 印刷電路板組件 PCBA | — | ○ | ○ | ○ | ○ | ○ |
| 金屬外殼組件 Metal Shell | ○ | ○ | ○ | ○ | ○ | ○ |
| 塑膠安裝組件 Plastic Components | ○ | ○ | ○ | ○ | ○ | ○ |
| 電源線組 Power Cord Sets | — | ○ | ○ | ○ | ○ | ○ |
| 包裝組件 Packaging Components | ○ | ○ | ○ | ○ | ○ | ○ |
| 黃銅組件 Brass Components | — | ○ | ○ | ○ | ○ | ○ |
| <p>備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。</p> <p>Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.</p> <p>備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。</p> <p>Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.</p> <p>備考 3. “—” 係指該項限用物質為排除項目。</p> <p>Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.</p> | | | | | | |

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

| | | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|-------------------------|----------------------|------------------------------------------------------|----------------------------------------------|------------------------------------------------------|
| 設備名稱：開放式電源供應器，型號（型式）：UP1501D-12 Equipment name | | Type designation (Type) | | | | |
| 單元 Unit | 限用物質及其化學符號 Restricted substances and its chemical symbols | | | | | |
| | 鉛 Lead (Pb) | 汞 Mercury (Hg) | 鎘 Cadmium (Cd) | 六價鉻 Hexavalent chromium (Cr ⁶⁺) | 多溴聯苯 Polybrominated biphenyls (PBB) | 多溴二苯醚 Polybrominated diphenyl ethers (PBDE) |
| 印刷電路板組件 PCBA | — | ○ | ○ | ○ | ○ | ○ |
| 變壓器 transformer | ○ | ○ | ○ | ○ | ○ | ○ |
| 散熱模組 Thermal Module | ○ | ○ | ○ | ○ | ○ | ○ |
| 錫鉛 Solder | ○ | ○ | ○ | ○ | ○ | ○ |
| <p>備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。</p> <p>Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.</p> <p>備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。</p> <p>Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.</p> <p>備考 3. “—” 係指該項限用物質為排除項目。</p> <p>Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.</p> | | | | | | |

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

| 設備名稱：開放式電源供應器，型號（型式）：UP1001B-14 Equipment name | | Type designation (Type) | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|-------------------------|----------------------|------------------------------------------------------|----------------------------------------------|------------------------------------------------------|
| 單元 Unit | 限用物質及其化學符號 Restricted substances and its chemical symbols | | | | | |
| | 鉛 Lead (Pb) | 汞 Mercury (Hg) | 鎘 Cadmium (Cd) | 六價鉻 Hexavalent chromium (Cr ⁺⁶) | 多溴聯苯 Polybrominated biphenyls (PBB) | 多溴二苯醚 Polybrominated diphenyl ethers (PBDE) |
| 印刷電路板組件 PCBA | — | ○ | ○ | ○ | ○ | ○ |
| 變壓器 transformer | ○ | ○ | ○ | ○ | ○ | ○ |
| 散熱模組 Thermal Module | ○ | ○ | ○ | ○ | ○ | ○ |
| 錫鉛 Solder | ○ | ○ | ○ | ○ | ○ | ○ |
| <p>備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。</p> <p>Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.</p> <p>備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。</p> <p>Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.</p> <p>備考 3. “—” 係指該項限用物質為排除項目。</p> <p>Note 3 : The “-” indicates that the restricted substance corresponds to the exemption.</p> | | | | | | |

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

| 設備名稱：交換式電源供應器，型號（型式）：UP0121H-12PA Equipment name | | Type designation (Type) | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|-------------------------|----------------------|------------------------------------------------------|----------------------------------------------|------------------------------------------------------|
| 單元 Unit | 限用物質及其化學符號 Restricted substances and its chemical symbols | | | | | |
| | 鉛 Lead (Pb) | 汞 Mercury (Hg) | 鎘 Cadmium (Cd) | 六價鉻 Hexavalent chromium (Cr ⁺⁶) | 多溴聯苯 Polybrominated biphenyls (PBB) | 多溴二苯醚 Polybrominated diphenyl ethers (PBDE) |
| 印刷電路板組件 PCBA | — | ○ | ○ | ○ | ○ | ○ |
| 金屬外殼組件 Metal Shell | ○ | ○ | ○ | ○ | ○ | ○ |
| 塑膠安裝組件 Plastic Components | ○ | ○ | ○ | ○ | ○ | ○ |
| 電源線組 Power Cord Sets | — | ○ | ○ | ○ | ○ | ○ |
| 包裝組件 Packaging Components | ○ | ○ | ○ | ○ | ○ | ○ |
| 黃銅組件 Brass Components | — | ○ | ○ | ○ | ○ | ○ |
| <p>備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。</p> <p>Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.</p> <p>備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。</p> <p>Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.</p> <p>備考 3. “—” 係指該項限用物質為排除項目。</p> <p>Note 3 : The “-” indicates that the restricted substance corresponds to the exemption.</p> | | | | | | |

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

| 設備名稱：開放式電源供應器，型號（型式）：UP5253B-01 Equipment name | | Type designation (Type) | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|-------------------------|----------------------|------------------------------------------------------|----------------------------------------------|------------------------------------------------------|
| 單元 Unit | 限用物質及其化學符號 Restricted substances and its chemical symbols | | | | | |
| | 鉛 Lead (Pb) | 汞 Mercury (Hg) | 鎘 Cadmium (Cd) | 六價鉻 Hexavalent chromium (Cr ⁺⁶) | 多溴聯苯 Polybrominated biphenyls (PBB) | 多溴二苯醚 Polybrominated diphenyl ethers (PBDE) |
| 印刷電路板組件 PCBA | — | ○ | ○ | ○ | ○ | ○ |
| 變壓器 transformer | ○ | ○ | ○ | ○ | ○ | ○ |
| 散熱模組 Thermal Module | ○ | ○ | ○ | ○ | ○ | ○ |
| 錒錫 Solder | ○ | ○ | ○ | ○ | ○ | ○ |
| <p>備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。</p> <p>Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.</p> <p>備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。</p> <p>Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.</p> <p>備考 3. “—” 係指該項限用物質為排除項目。</p> <p>Note 3 : The “-” indicates that the restricted substance corresponds to the exemption.</p> | | | | | | |

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

| 設備名稱：交換式電源供應器，型號（型式）：MA-PWR-50WAC, GA-PWR-50WAC Equipment name | | Type designation (Type) | | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|-------------------------|----------------------|------------------------------------------------------|----------------------------------------------|------------------------------------------------------|
| 單元 Unit | 限用物質及其化學符號 Restricted substances and its chemical symbols | | | | | |
| | 鉛 Lead (Pb) | 汞 Mercury (Hg) | 鎘 Cadmium (Cd) | 六價鉻 Hexavalent chromium (Cr ⁺⁶) | 多溴聯苯 Polybrominated biphenyls (PBB) | 多溴二苯醚 Polybrominated diphenyl ethers (PBDE) |
| 印刷電路板組件 PCBA | — | ○ | ○ | ○ | ○ | ○ |
| 金屬外殼組件 Metal Shell | ○ | ○ | ○ | ○ | ○ | ○ |
| 塑膠安裝組件 Plastic Components | ○ | ○ | ○ | ○ | ○ | ○ |
| 電源線組 Power Cord Sets | — | ○ | ○ | ○ | ○ | ○ |
| 包裝組件 Packaging Components | ○ | ○ | ○ | ○ | ○ | ○ |
| 黃銅組件 Brass Components | — | ○ | ○ | ○ | ○ | ○ |
| <p>備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。</p> <p>Note 1: “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.</p> <p>備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。</p> <p>Note 2: “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.</p> <p>備考 3. “—” 係指該項限用物質為排除項目。</p> <p>Note 3: The “—” indicates that the restricted substance corresponds to the exemption.</p> | | | | | | |

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

| | | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|---------------------------------------------------------------------------------------------------|----------------------|------------------------------------------------------|----------------------------------------------|------------------------------------------------------|
| 設備名稱：開放式電源供應器，型號（型式） | | UP0201D-03, UP0201D-05, UP0201D-09, UP0201D-12, UP0201D-15, UP0201D-18, UP0201D-24, UP0201D-48 | | | | |
| Equipment name | | Type designation (Type) | | | | |
| 單元 Unit | 限用物質及其化學符號 Restricted substances and its chemical symbols | | | | | |
| | 鉛 Lead (Pb) | 汞 Mercury (Hg) | 鎘 Cadmium (Cd) | 六價鉻 Hexavalent chromium (Cr ⁶⁺) | 多溴聯苯 Polybrominated biphenyls (PBB) | 多溴二苯醚 Polybrominated diphenyl ethers (PBDE) |
| 印刷電路板組件 PCBA | — | ○ | ○ | ○ | ○ | ○ |
| 變壓器 transformer | ○ | ○ | ○ | ○ | ○ | ○ |
| 散熱模組 Thermal Module | ○ | ○ | ○ | ○ | ○ | ○ |
| 錒錫 Solder | ○ | ○ | ○ | ○ | ○ | ○ |
| <p>備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。</p> <p>Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.</p> <p>備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。</p> <p>Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.</p> <p>備考 3. “—” 係指該項限用物質為排除項目。</p> <p>Note 3 : The “-” indicates that the restricted substance corresponds to the exemption.</p> | | | | | | |

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

| 設備名稱：交換式電源供應器，型號（型式）：UP0451H-54PP, 740-64283-001 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------------------------------------------------|----------------------------------------------|------------------------------------------------------|----------------------------------------------|------------------------------------------------------|--------------|---|---|---|---|---|--------------------|---|---|---|---|---|---------------------------|---|---|---|---|---|----------------------|---|---|---|---|---|---------------------------|---|---|---|---|---|-----------------------|---|---|---|---|
| Equipment name | Type designation (Type) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 單元 Unit | 限用物質及其化學符號 Restricted substances and its chemical symbols | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <table border="1"> <thead> <tr> <th>鉛 Lead (Pb)</th> <th>汞 Mercury (Hg)</th> <th>鎘 Cadmium (Cd)</th> <th>六價鉻 Hexavalent chromium (Cr⁺⁶)</th> <th>多溴聯苯 Polybrominated biphenyls (PBB)</th> <th>多溴二苯醚 Polybrominated diphenyl ethers (PBDE)</th> </tr> </thead> <tbody> <tr> <td>印刷電路板組件 PCBA</td> <td>—</td> <td>○</td> <td>○</td> <td>○</td> <td>○</td> </tr> <tr> <td>金屬外殼組件 Metal Shell</td> <td>○</td> <td>○</td> <td>○</td> <td>○</td> <td>○</td> </tr> <tr> <td>塑膠安裝組件 Plastic Components</td> <td>○</td> <td>○</td> <td>○</td> <td>○</td> <td>○</td> </tr> <tr> <td>電源線組 Power Cord Sets</td> <td>—</td> <td>○</td> <td>○</td> <td>○</td> <td>○</td> </tr> <tr> <td>包裝組件 Packaging Components</td> <td>○</td> <td>○</td> <td>○</td> <td>○</td> <td>○</td> </tr> <tr> <td>黃銅組件 Brass Components</td> <td>—</td> <td>○</td> <td>○</td> <td>○</td> <td>○</td> </tr> </tbody> </table> | 鉛 Lead (Pb) | 汞 Mercury (Hg) | 鎘 Cadmium (Cd) | 六價鉻 Hexavalent chromium (Cr ⁺⁶) | 多溴聯苯 Polybrominated biphenyls (PBB) | 多溴二苯醚 Polybrominated diphenyl ethers (PBDE) | 印刷電路板組件 PCBA | — | ○ | ○ | ○ | ○ | 金屬外殼組件 Metal Shell | ○ | ○ | ○ | ○ | ○ | 塑膠安裝組件 Plastic Components | ○ | ○ | ○ | ○ | ○ | 電源線組 Power Cord Sets | — | ○ | ○ | ○ | ○ | 包裝組件 Packaging Components | ○ | ○ | ○ | ○ | ○ | 黃銅組件 Brass Components | — | ○ | ○ | ○ |
| 鉛 Lead (Pb) | 汞 Mercury (Hg) | 鎘 Cadmium (Cd) | 六價鉻 Hexavalent chromium (Cr ⁺⁶) | 多溴聯苯 Polybrominated biphenyls (PBB) | 多溴二苯醚 Polybrominated diphenyl ethers (PBDE) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 印刷電路板組件 PCBA | — | ○ | ○ | ○ | ○ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 金屬外殼組件 Metal Shell | ○ | ○ | ○ | ○ | ○ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 塑膠安裝組件 Plastic Components | ○ | ○ | ○ | ○ | ○ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 電源線組 Power Cord Sets | — | ○ | ○ | ○ | ○ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 包裝組件 Packaging Components | ○ | ○ | ○ | ○ | ○ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 黃銅組件 Brass Components | — | ○ | ○ | ○ | ○ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。</p> <p>Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.</p> <p>備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。</p> <p>Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.</p> <p>備考 3. “—” 係指該項限用物質為排除項目。</p> <p>Note 3 : The “-” indicates that the restricted substance corresponds to the exemption.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

| | | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|-------------------------|----------------------|------------------------------------------------------|----------------------------------------------|------------------------------------------------------|
| 設備名稱：交換式電源供應器，型號（型式）：GA-PWR-12W-US Equipment name | | Type designation (Type) | | | | |
| 單元 Unit | 限用物質及其化學符號 Restricted substances and its chemical symbols | | | | | |
| | 鉛 Lead (Pb) | 汞 Mercury (Hg) | 鎘 Cadmium (Cd) | 六價鉻 Hexavalent chromium (Cr ⁺⁶) | 多溴聯苯 Polybrominated biphenyls (PBB) | 多溴二苯醚 Polybrominated diphenyl ethers (PBDE) |
| 印刷電路板組件 PCBA | — | ○ | ○ | ○ | ○ | ○ |
| 金屬外殼組件 Metal Shell | ○ | ○ | ○ | ○ | ○ | ○ |
| 塑膠安裝組件 Plastic Components | ○ | ○ | ○ | ○ | ○ | ○ |
| 電源線組 Power Cord Sets | — | ○ | ○ | ○ | ○ | ○ |
| 包裝組件 Packaging Components | ○ | ○ | ○ | ○ | ○ | ○ |
| 黃銅組件 Brass Components | — | ○ | ○ | ○ | ○ | ○ |
| <p>備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。</p> <p>Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.</p> <p>備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。</p> <p>Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.</p> <p>備考 3. “—” 係指該項限用物質為排除項目。</p> <p>Note 3 : The “-” indicates that the restricted substance corresponds to the exemption.</p> | | | | | | |

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

| 設備名稱：交換式電源供應器，型號（型式）：UP0181D-12PA Equipment name | | Type designation (Type) | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|-------------------------|----------------------|------------------------------------------------------|----------------------------------------------|------------------------------------------------------|
| 單元 Unit | 限用物質及其化學符號 Restricted substances and its chemical symbols | | | | | |
| | 鉛 Lead (Pb) | 汞 Mercury (Hg) | 鎘 Cadmium (Cd) | 六價鉻 Hexavalent chromium (Cr ⁺⁶) | 多溴聯苯 Polybrominated biphenyls (PBB) | 多溴二苯醚 Polybrominated diphenyl ethers (PBDE) |
| 印刷電路板組件 PCBA | — | ○ | ○ | ○ | ○ | ○ |
| 金屬外殼組件 Metal Shell | ○ | ○ | ○ | ○ | ○ | ○ |
| 塑膠安裝組件 Plastic Components | ○ | ○ | ○ | ○ | ○ | ○ |
| 電源線組 Power Cord Sets | — | ○ | ○ | ○ | ○ | ○ |
| 包裝組件 Packaging Components | ○ | ○ | ○ | ○ | ○ | ○ |
| 黃銅組件 Brass Components | — | ○ | ○ | ○ | ○ | ○ |
| <p>備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。</p> <p>Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.</p> <p>備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。</p> <p>Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.</p> <p>備考 3. “—” 係指該項限用物質為排除項目。</p> <p>Note 3 : The “-” indicates that the restricted substance corresponds to the exemption.</p> | | | | | | |

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

| 設備名稱：交換式電源供應器，型號（型式）：UP0361H-12 Equipment name | | Type designation (Type) | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|-------------------------|----------------------|------------------------------------------------------|----------------------------------------------|------------------------------------------------------|
| 單元 Unit | 限用物質及其化學符號 Restricted substances and its chemical symbols | | | | | |
| | 鉛 Lead (Pb) | 汞 Mercury (Hg) | 鎘 Cadmium (Cd) | 六價鉻 Hexavalent chromium (Cr ⁺⁶) | 多溴聯苯 Polybrominated biphenyls (PBB) | 多溴二苯醚 Polybrominated diphenyl ethers (PBDE) |
| 印刷電路板組件 PCBA | — | ○ | ○ | ○ | ○ | ○ |
| 變壓器 transformer | ○ | ○ | ○ | ○ | ○ | ○ |
| 散熱模組 Thermal Module | ○ | ○ | ○ | ○ | ○ | ○ |
| 錒錫 Solder | ○ | ○ | ○ | ○ | ○ | ○ |
| <p>備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。</p> <p>Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.</p> <p>備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。</p> <p>Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.</p> <p>備考 3. “—” 係指該項限用物質為排除項目。</p> <p>Note 3 : The “-” indicates that the restricted substance corresponds to the exemption.</p> | | | | | | |

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

| 設備名稱：交換式電源供應器，型號（型式）：UP0601C-12 Equipment name | | Type designation (Type) | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|-------------------------|----------------------|------------------------------------------------------|----------------------------------------------|------------------------------------------------------|
| 單元 Unit | 限用物質及其化學符號 Restricted substances and its chemical symbols | | | | | |
| | 鉛 Lead (Pb) | 汞 Mercury (Hg) | 鎘 Cadmium (Cd) | 六價鉻 Hexavalent chromium (Cr ⁺⁶) | 多溴聯苯 Polybrominated biphenyls (PBB) | 多溴二苯醚 Polybrominated diphenyl ethers (PBDE) |
| 印刷電路板組件 PCBA | — | ○ | ○ | ○ | ○ | ○ |
| 變壓器 transformer | ○ | ○ | ○ | ○ | ○ | ○ |
| 散熱模組 Thermal Module | ○ | ○ | ○ | ○ | ○ | ○ |
| 錒錫 Solder | ○ | ○ | ○ | ○ | ○ | ○ |
| <p>備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。</p> <p>Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.</p> <p>備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。</p> <p>Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.</p> <p>備考 3. “—” 係指該項限用物質為排除項目。</p> <p>Note 3 : The “-” indicates that the restricted substance corresponds to the exemption.</p> | | | | | | |

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

| 設備名稱：交換式電源供應器，型號（型式）：UP0851A-54PB Equipment name | | Type designation (Type) | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|-------------------------|----------------------|------------------------------------------------------|----------------------------------------------|------------------------------------------------------|
| 單元 Unit | 限用物質及其化學符號 Restricted substances and its chemical symbols | | | | | |
| | 鉛 Lead (Pb) | 汞 Mercury (Hg) | 鎘 Cadmium (Cd) | 六價鉻 Hexavalent chromium (Cr ⁺⁶) | 多溴聯苯 Polybrominated biphenyls (PBB) | 多溴二苯醚 Polybrominated diphenyl ethers (PBDE) |
| 印刷電路板組件 PCBA | — | ○ | ○ | ○ | ○ | ○ |
| 金屬外殼組件 Metal Shell | ○ | ○ | ○ | ○ | ○ | ○ |
| 塑膠安裝組件 Plastic Components | ○ | ○ | ○ | ○ | ○ | ○ |
| 電源線組 Power Cord Sets | — | ○ | ○ | ○ | ○ | ○ |
| 包裝組件 Packaging Components | ○ | ○ | ○ | ○ | ○ | ○ |
| 黃銅組件 Brass Components | — | ○ | ○ | ○ | ○ | ○ |
| <p>備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。</p> <p>Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.</p> <p>備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。</p> <p>Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.</p> <p>備考 3. “—” 係指該項限用物質為排除項目。</p> <p>Note 3 : The “-” indicates that the restricted substance corresponds to the exemption.</p> | | | | | | |

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

| | | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|-------------------------|----------------------|------------------------------------------------------|----------------------------------------------|------------------------------------------------------|
| 設備名稱：開放式電源供應器，型號（型式）：UP1501D-54 Equipment name | | Type designation (Type) | | | | |
| 單元 Unit | 限用物質及其化學符號 Restricted substances and its chemical symbols | | | | | |
| | 鉛 Lead (Pb) | 汞 Mercury (Hg) | 鎘 Cadmium (Cd) | 六價鉻 Hexavalent chromium (Cr ⁺⁶) | 多溴聯苯 Polybrominated biphenyls (PBB) | 多溴二苯醚 Polybrominated diphenyl ethers (PBDE) |
| 印刷電路板組件 PCBA | — | ○ | ○ | ○ | ○ | ○ |
| 變壓器 transformer | ○ | ○ | ○ | ○ | ○ | ○ |
| 散熱模組 Thermal Module | ○ | ○ | ○ | ○ | ○ | ○ |
| 錫鉛 Solder | ○ | ○ | ○ | ○ | ○ | ○ |
| <p>備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。</p> <p>Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.</p> <p>備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。</p> <p>Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.</p> <p>備考 3. “—” 係指該項限用物質為排除項目。</p> <p>Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.</p> | | | | | | |

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

| 設備名稱：開放式電源供應器，型號（型式）：UP2402B-04 Equipment name | | Type designation (Type) | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|-------------------------|----------------------|------------------------------------------------------|----------------------------------------------|------------------------------------------------------|
| 單元 Unit | 限用物質及其化學符號 Restricted substances and its chemical symbols | | | | | |
| | 鉛 Lead (Pb) | 汞 Mercury (Hg) | 鎘 Cadmium (Cd) | 六價鉻 Hexavalent chromium (Cr ⁺⁶) | 多溴聯苯 Polybrominated biphenyls (PBB) | 多溴二苯醚 Polybrominated diphenyl ethers (PBDE) |
| 印刷電路板組件 PCBA | — | ○ | ○ | ○ | ○ | ○ |
| 變壓器 transformer | ○ | ○ | ○ | ○ | ○ | ○ |
| 散熱模組 Thermal Module | ○ | ○ | ○ | ○ | ○ | ○ |
| 錫鉛 Solder | ○ | ○ | ○ | ○ | ○ | ○ |
| 直流風扇 DC-FAN | ○ | ○ | ○ | ○ | ○ | ○ |
| 金屬外殼 Metal Shell | ○ | ○ | ○ | ○ | ○ | ○ |
| <p>備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。</p> <p>Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.</p> <p>備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。</p> <p>Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.</p> <p>備考 3. “—” 係指該項限用物質為排除項目。</p> <p>Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.</p> | | | | | | |

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

| 設備名稱：開放式電源供應器，型號（型式）：UP3001D-54 Equipment name | | Type designation (Type) | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|-------------------------|----------------------|------------------------------------------------------|----------------------------------------------|------------------------------------------------------|
| 單元 Unit | 限用物質及其化學符號 Restricted substances and its chemical symbols | | | | | |
| | 鉛 Lead (Pb) | 汞 Mercury (Hg) | 鎘 Cadmium (Cd) | 六價鉻 Hexavalent chromium (Cr ⁺⁶) | 多溴聯苯 Polybrominated biphenyls (PBB) | 多溴二苯醚 Polybrominated diphenyl ethers (PBDE) |
| 印刷電路板組件 PCBA | — | ○ | ○ | ○ | ○ | ○ |
| 變壓器 transformer | ○ | ○ | ○ | ○ | ○ | ○ |
| 散熱模組 Thermal Module | ○ | ○ | ○ | ○ | ○ | ○ |
| 鐳錫 Solder | ○ | ○ | ○ | ○ | ○ | ○ |
| <p>備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。</p> <p>Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.</p> <p>備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。</p> <p>Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.</p> <p>備考 3. “—” 係指該項限用物質為排除項目。</p> <p>Note 3 : The “-” indicates that the restricted substance corresponds to the exemption.</p> | | | | | | |

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

| 設備名稱：開放式電源供應器，型號（型式）：UP5202F-02,UP4602F-02 Equipment name | | Type designation (Type) | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|-------------------------|----------------------|------------------------------------------------------|----------------------------------------------|------------------------------------------------------|
| 單元 Unit | 限用物質及其化學符號 Restricted substances and its chemical symbols | | | | | |
| | 鉛 Lead (Pb) | 汞 Mercury (Hg) | 鎘 Cadmium (Cd) | 六價鉻 Hexavalent chromium (Cr ⁺⁶) | 多溴聯苯 Polybrominated biphenyls (PBB) | 多溴二苯醚 Polybrominated diphenyl ethers (PBDE) |
| 印刷電路板組件 PCBA | — | ○ | ○ | ○ | ○ | ○ |
| 變壓器 transformer | ○ | ○ | ○ | ○ | ○ | ○ |
| 散熱模組 Thermal Module | ○ | ○ | ○ | ○ | ○ | ○ |
| 錫鉛 Solder | ○ | ○ | ○ | ○ | ○ | ○ |
| <p>備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。</p> <p>Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.</p> <p>備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。</p> <p>Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.</p> <p>備考 3. “—” 係指該項限用物質為排除項目。</p> <p>Note 3 : The “-” indicates that the restricted substance corresponds to the exemption.</p> | | | | | | |

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

| 設備名稱：開放式電源供應器，型號（型式）：UP5702B-01, UP5702B-02, UP5702B-03 Equipment name | | Type designation (Type) | | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|-------------------------|----------------------|------------------------------------------------------|----------------------------------------------|------------------------------------------------------|
| 單元 Unit | 限用物質及其化學符號 Restricted substances and its chemical symbols | | | | | |
| | 鉛 Lead (Pb) | 汞 Mercury (Hg) | 鎘 Cadmium (Cd) | 六價鉻 Hexavalent chromium (Cr ⁺⁶) | 多溴聯苯 Polybrominated biphenyls (PBB) | 多溴二苯醚 Polybrominated diphenyl ethers (PBDE) |
| 印刷電路板組件 PCBA | — | ○ | ○ | ○ | ○ | ○ |
| 變壓器 transformer | ○ | ○ | ○ | ○ | ○ | ○ |
| 散熱模組 Thermal Module | ○ | ○ | ○ | ○ | ○ | ○ |
| 錫鉛 Solder | ○ | ○ | ○ | ○ | ○ | ○ |
| <p>備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。</p> <p>Note 1: “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.</p> <p>備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。</p> <p>Note 2: “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.</p> <p>備考 3. “—” 係指該項限用物質為排除項目。</p> <p>Note 3: The “-” indicates that the restricted substance corresponds to the exemption.</p> | | | | | | |

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

| 設備名稱：開放式電源供應器，型號（型式）：UP8803B-01 Equipment name | | Type designation (Type) | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|-------------------------|----------------------|------------------------------------------------------|----------------------------------------------|------------------------------------------------------|
| 單元 Unit | 限用物質及其化學符號 Restricted substances and its chemical symbols | | | | | |
| | 鉛 Lead (Pb) | 汞 Mercury (Hg) | 鎘 Cadmium (Cd) | 六價鉻 Hexavalent chromium (Cr ⁺⁶) | 多溴聯苯 Polybrominated biphenyls (PBB) | 多溴二苯醚 Polybrominated diphenyl ethers (PBDE) |
| 印刷電路板組件 PCBA | — | ○ | ○ | ○ | ○ | ○ |
| 變壓器 transformer | ○ | ○ | ○ | ○ | ○ | ○ |
| 散熱模組 Thermal Module | ○ | ○ | ○ | ○ | ○ | ○ |
| 錫鉛 Solder | ○ | ○ | ○ | ○ | ○ | ○ |
| <p>備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。</p> <p>Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.</p> <p>備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。</p> <p>Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.</p> <p>備考 3. “—” 係指該項限用物質為排除項目。</p> <p>Note 3 : The “-” indicates that the restricted substance corresponds to the exemption.</p> | | | | | | |

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

| 設備名稱：交換式電源供應器，型號（型式）：PS-90W-AC Equipment name | | Type designation (Type) | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|-------------------------|----------------------|------------------------------------------------------|----------------------------------------------|------------------------------------------------------|
| 單元 Unit | 限用物質及其化學符號 Restricted substances and its chemical symbols | | | | | |
| | 鉛 Lead (Pb) | 汞 Mercury (Hg) | 鎘 Cadmium (Cd) | 六價鉻 Hexavalent chromium (Cr ⁺⁶) | 多溴聯苯 Polybrominated biphenyls (PBB) | 多溴二苯醚 Polybrominated diphenyl ethers (PBDE) |
| 印刷電路板組件 PCBA | — | ○ | ○ | ○ | ○ | ○ |
| 變壓器 transformer | ○ | ○ | ○ | ○ | ○ | ○ |
| 散熱模組 Thermal Module | ○ | ○ | ○ | ○ | ○ | ○ |
| 錫鉛 Solder | ○ | ○ | ○ | ○ | ○ | ○ |
| 直流風扇 DC-FAN | ○ | ○ | ○ | ○ | ○ | ○ |
| 金屬外殼 Metal Shell | ○ | ○ | ○ | ○ | ○ | ○ |
| <p>備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。</p> <p>Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.</p> <p>備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。</p> <p>Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.</p> <p>備考 3. “—” 係指該項限用物質為排除項目。</p> <p>Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.</p> | | | | | | |

限用物質含有情況標示

Presence Condition of the Restricted Substances Marking

| 設備名稱：交換式電源供應器，型號（型式）：PS-126W-AC Equipment name | | Type designation (Type) | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|-------------------------|----------------------|------------------------------------------------------|----------------------------------------------|------------------------------------------------------|
| 單元 Unit | 限用物質及其化學符號 Restricted substances and its chemical symbols | | | | | |
| | 鉛 Lead (Pb) | 汞 Mercury (Hg) | 鎘 Cadmium (Cd) | 六價鉻 Hexavalent chromium (Cr ⁺⁶) | 多溴聯苯 Polybrominated biphenyls (PBB) | 多溴二苯醚 Polybrominated diphenyl ethers (PBDE) |
| 印刷電路板組件 PCBA | — | ○ | ○ | ○ | ○ | ○ |
| 變壓器 transformer | ○ | ○ | ○ | ○ | ○ | ○ |
| 散熱模組 Thermal Module | ○ | ○ | ○ | ○ | ○ | ○ |
| 錫鉛 Solder | ○ | ○ | ○ | ○ | ○ | ○ |
| 直流風扇 DC-FAN | ○ | ○ | ○ | ○ | ○ | ○ |
| 金屬外殼 Metal Shell | ○ | ○ | ○ | ○ | ○ | ○ |
| <p>備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準。</p> <p>Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.</p> <p>備考 2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。</p> <p>Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.</p> <p>備考 3. “—” 係指該項限用物質為排除項目。</p> <p>Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.</p> | | | | | | |